





Type	wall or ceiling lamp
Materials	metal base and structure, copper rod
Light source	interchangeable LED 4x1W / rated output 4W @350mA / energy class A+ / lumen 400 / K 2700 / CRI 80 interchangeable LED 6x1W / rated output 6W @350mA / energy class A+ / lumen 600 / K 2700 / CRI 80 interchangeable LED 8x1W / rated output 8W @350mA / energy class A+ / lumen 800 / K 2700 / CRI 80
Power supply	constant current driver @350mA 240V IGBT/Triac dimmable (110V version available on request not dimmable)

Dimensions

	base \varnothing 9x3,5
	cm,
	ledge 17 cm
	—
	width
	4 LED 62 cm
	6 LED 88 cm
	8 LED 115 cm

Order code

LSP4	4 LED / nickel
LSP4G	4 LED / satin gold
LSP6	6 LED / nickel
LSP6G	6 LED / satin gold
LSP8	8 LED / nickel
LSP8G	8 LED / satin gold

Light source

interchangeable LED 6x1W / rated output 6W 350mA / energy class A+ / lumen 600 / K 2700 / CRI 80

Power supply

driver 350mA 110V (not dimmable) or 240V IGBT/Triac dimmable

Dimensionsbase \varnothing 9x3
cm,
H 88 cm,
ledge 17 cm**Order code**

LSPV6 nickel

LSPV6G satin
gold